

# ELECTROCHEMICAL GAS SENSORS

# SPECIFICATION SHEET FOR H2S SENSOR TYPE H2S/S-200-S

## PERFORMANCE CHARACTERISTICS

Nominal Range	0 – 200 ppm
Maximum Overload	500 ppm
Expected Operation Life	2 years in air
Output Signal	370 ± 80 nA/ppm
Resolution	0,25 ppm
Temperature Range	- 20 ℃ to 50 ℃
Pressure Range	Atmospheric ± 10%
Pressure Coefficient	No data
T <sub>90</sub> Response Time	< 60 sec
Relative Humidity Range	15 % to 90 % R.H. non-
	condensing
Typical Baseline Range (pure	< 2 ppm
air, 20℃)	
Maximum Zero Shift (+20℃	2 ppm
to +40℃)	
Expected Long Term Output	< 2% signal loss/month
Drift	
Recommended Load Resistor	10 Ohm
Bias Voltage	Not recommended
Repeatability	< 2 % of signal
Output Linearity	Linear

### **CROSS-SENSITIVITY DATA**

Interfering Gas	Concentration	Reading
CO	100 ppm	< 2 ppm
SO <sub>2</sub>	100 ppm	~ 20 ppm
NO	35 ppm	< 2 ppm
NO <sub>2</sub>	5 ppm	~ - 1 ppm
$H_2$		< 1 ppm

Performance data conditions: 20 ℃, 50% RH and 1013 mbar


### **APPLICATIONS**


Continuous Air Quality Monitoring Safety and Environmental Control

# PHYSICAL CHARACTERISTICS

Weight	~ 27 g
Position Sensitivity	None
Storage Life	Six months in
	container
Recommended Storage	5 ℃ – 20 ℃
Temperature	
Warranty Period	12 months from date
	of dispatch

## **Slim-Size Outline Dimensions**





REV.: 08/2011 Page 1 of 2

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 Email: info@membrapor.ch www.membrapor.ch MEMBRAPOR AG Birkenweg 2 CH-8304 Wallisellen Switzerland

SUNSTAR自动化 http://www.sensor-ic.com/ TEL: 0755-83376489 FAX:0755-83376182 E-MAIL: szss20@163.com


# ELECTROCHEMICAL GAS SENSORS


The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or the information contained within it. The data is given for guidance only. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.

# SPECIFICATION SHEET FOR H<sub>2</sub>S SENSOR TYPE H2S/S-200

## **TEMPERATURE DEPENDENCE**

The output of an electrochemical sensor varies with temperature. The graphs below show the variation in output with temperature for this type of sensor. The results are shown in the graphs as a mean for a batch of sensors, along with confidence intervals corresponding to  $\pm 3$  times the standard deviation. The sensitivity dependence is expressed as a percentage of the signal at 20 °C. The shift in bas eline is shown in ppm referenced to 20 °C.





The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or the information contained within it. The data is given for guidance only. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.

REV.: 08/2011 Page 2 of 2

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 Email: info@membrapor.ch www.membrapor.ch MEMBRAPOR AG Birkenweg 2 CH-8304 Wallisellen Switzerland

SUNSTAR自动化 http://www.sensor-ic.com/ TEL: 0755-83376489 FAX:0755-83376182 E-MAIL: szss20@163.com