




## Data Sheet Supplement


### Differential Two-Wire Hall Effect Sensor IC      TLE 4941-2 TLE 4941-2 C

For all parameters not specified in this document the TLE 4941 data sheet is valid.



Type	Marking	Ordering Code	Package
TLE 4941-2	4102E	Q62705-K0629	P-SSO-2-1
TLE 4941-2C	41C2E	Q62705-K0631	P-SSO-2-2

## 1 Functional description



**Fig. 1: example for startup behaviour**

### Uncalibrated mode:

Occasionally a short initial offset settling time  $t_{d,input}$  might delay the detection of the input signal. (The sensor is "blind").

The magnetic input signal is tracked by the speed ADC and monitored within the digital circuit. For detection the signal transient needs to exceed a threshold (digital noise constant  $d1$ ). When the signal slope is identified as a rising edge (or falling edge), a trigger pulse is issued to a comparator. A second trigger pulse is issued as soon as a falling edge (or rising edge respectively) is detected (and vice versa). Depending on the initial state of the comparator the IC output is first triggered on the first or second detected edge.

Between the startup of the magnetic input signal and the time when its second extreme is reached, the PGA (programmable gain amplifier) will switch to its appropriate position. This value is determined by the signal amplitude and initial offset value. The digital noise constant value is changing accordingly ( $d1 \rightarrow d2$ , related to the corresponding PGA states), leading to a change in phase shift between magnetic input signal and output signal. After that consecutive output edges should have a nominal delay of about  $180^\circ$ . In rare cases one further switching of PGA can occur (see appendix B).

During the uncalibrated mode the offset value is calculated by the peak detection algorithm as described in the TLE 4941 data sheet.

Transition to calibrated mode:

In the calibrated mode the output will switch at zero-crossing of the input signal. The phase shift between input and output signal is no longer determined by the ratio between digital noise constant and signal amplitude. Therefore a sudden change in the phase shift may occur during the transition from uncalibrated to calibrated mode.

Calibrated mode:

See TLE 4941 data sheet.

Additional notes:

Unlike the TLE 4941 the first output edge might occur before the first zero-crossing of the magnetic input signal. Therefore the maximum number of edges until the calibrated mode is active is increased by one for TLE 4941-2. However, referring to the input signal the delay between startup of the signal and first calibrated output signal is identical with TLE 4941.

Typically the phase error due to PGA-transition (row 7 to 15) reduces the error caused by switching the mode from uncalibrated to calibrated.

The summed up change in phase error from the first output edge issued to the output edges in calibrated mode will not exceed +/- 90°.

1	1	2	3	4	5	6	7	8	9	10
2	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	180° (cal)	180° (cal)	180° (cal)	
3	38µs ...180° (uncal)	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	180° (cal)	180° (cal)	
4	38µs ...180° (uncal)	180° (uncal)	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	180° (cal)	
5	38µs ...180° (uncal)	180° (uncal)	180° (uncal)	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	
6	38µs ...180° (uncal)	180° (uncal)	180° (uncal)	180° (uncal)	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	
7	135°..300° (PGA, uncal)	180...220°	180° (uncal)	180° (uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	180° (cal)	180° (cal)	
8	135°..300° (PGA, uncal)	180° (uncal)	180...220°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	180° (cal)	
9	135°..300° (PGA, uncal)	180° (uncal)	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	
10	135°..300° (PGA, uncal)	180° (uncal)	180° (uncal)	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	
11	135°..300° (PGA, uncal)	180° (uncal)	180° (uncal)	180° (uncal)	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	
12	38µs ...180° (uncal)	180°...260° (PGA, uncal)	180...220°	180° (uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	180° (cal)	180° (cal)	
13	38µs ...180° (uncal)	180°...260° (PGA, uncal)	180° (uncal)	180...220°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	180° (cal)	
14	38µs ...180° (uncal)	180°...260° (PGA, uncal)	180° (uncal)	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	
15	38µs ...180° (uncal)	180°...260° (PGA, uncal)	180° (uncal)	180° (uncal)	180° (uncal)	90...270°	150°..200° (cal/uncal)	150°..200° (cal/uncal)	180° (cal)	

**Table1: overview of the startup-behaviour.**

In the first row the edge number is given. The following rows show different possibilities for the nominal delays between the edges. Numbers are calculated for sinusoidal input signals. Additionally the specified tolerances have to be taken into account (e.g. Jitter)

Rows 2..6: behaviour at small input amplitudes ( $\Delta B >$  approx. 3.5mT)

Rows 7..11: behaviour at initial phases of  $-90^\circ \dots 0^\circ$

Rows 12..15: behaviour at initial phases of  $0^\circ \dots 90^\circ$

Remark: the additional PGA switching can only occur *once* per row. Therefore also the additional phase shift marked "150°..200° (cal/uncal)" will only occur once per row. (see example)

**Example:**  $\Delta B = 10\text{mT} \sin(\omega t + \varphi)$ .  $\varphi = 30^\circ$

Typical startup-behaviour at a sinusoidal input signal of 10mT amplitude, initial phase=  $30^\circ$ .

$\Phi$	1	2	3	4	5	6	7	8	9	10
	43°	133,9°	333,2°	513,2°	693,2°	900°	1080°	1260°	1440°	...
$\Delta\Phi$	90,9° (PGA, uncal)	133,3° (PGA, uncal)	180° (uncal)	180° (uncal)	206,8° (Offset- correction)	180° (cal)	180° (cal)	180° (cal)	180° (cal)	180° (cal)

→ This corresponds to row 14 in the table, behaviour similar to Fig. 1

As a special (and rare) case instead of an offset correction after edge number 5, a further (extra) PGA switching could occur before edge number 5. PGA switching inhibits an immediate offset update. It *can* happen if one of the signal peaks is exactly at a PGA switching threshold (speed-ADC overflow). In this case the offset update (switching from uncalibrated mode to calibrated mode) would be delayed by two to three further edges. The referring phase shifts of the example would then be as follows:

$\Phi$	1	2	3	4	5	6	7	8	9	10
	43°	133,9°	333,2°	513,2°	727,5°	907,5°	1087,5°	1260°	1440°	...
$\Delta\Phi$	90,9° (PGA, uncal)	133,3° (PGA, uncal)	180° (uncal)	213,8° (extra PGA)	180° (uncal)	180° (uncal)	172,5° (Offset- correction)	180° (cal)	180° (cal)	180° (cal)

→ This corresponds to row 13 of the table.

### Circuit Description

See TLE 4941 - TLE 4941 C data sheet

## 2 Additions/Changes for TLE 4941–2 versus TLE 4941

(All values are valid for constant amplitude and offset of input signal,  $f < 2500\text{Hz}$ )

Parameter	Symbol	min.	typ.	max.	Unit	Conditions
Signal behaviour after undervoltage or standstill $> t_{\text{Stop}}$	$n_{\text{DZ-Start}}$					Magnetic edge amplitude according to $\Delta \hat{B}_{\text{Limit}}$ , early startup  Edges that occur before $n_{\text{DZ-Start}}$ can be suppressed  2 edges $1\text{Hz} \leq f \leq 2000\text{Hz}$ 3 edges $f > 2000\text{Hz}$ $t_{\text{d,input}}$ has to be taken into account
Systematic phase error of output edges during <b>startup- and uncalibrated mode</b>		38			$\mu\text{s}$	Shortest time delay between input signal edge 1 and 2 $t_{\text{d,input}}$ has to be taken into account
		-88		+88	$^{\circ}$	<i>Systematical</i> phase error of "uncal" edge; nth vs. n+1th edge (does not include random phase error)
Phase shift change during PGA switching		0		80	$^{\circ}$	after the 2 <sup>nd</sup> edge
Phase shift change during <b>transition</b> from uncalibrated to calibrated mode	$\Delta \Phi_{\text{switch}}$	-90		+90	$^{\circ}$	
Number of edges in uncalibrated mode	$n_{\text{DZ-Startup}}$			6	edges	
in rare cases (see appendix B)	$n_{\text{DZ-Startup}}$			8	edges	

Parameter	Symbol	min.	typ.	max.	Unit	Conditions
Jitter during uncalibrated mode	$S_{\text{JitClose}}$ (1 $\sigma$ -value)			$\pm 3$	%	$-40^{\circ}\text{C} \leq T_{\text{amb}} \leq 150^{\circ}\text{C}$
				$\pm 4$	%	$150^{\circ}\text{C} \leq T_{\text{amb}} \leq 170^{\circ}\text{C}$
	$S_{\text{JitFar}}$ (1 $\sigma$ -value)			$\pm 5$	%	$-40^{\circ}\text{C} \leq T_{\text{amb}} \leq 150^{\circ}\text{C}$
				$\pm 7$	%	$150^{\circ}\text{C} \leq T_{\text{amb}} \leq 170^{\circ}\text{C}$
	$S_{\text{JitAC}}$ (1 $\sigma$ -value)			$\pm 3$	%	see TLE 4941 data sheet
Magnetic differential field amplitude change necessary for early startup: $\Delta \hat{B}_{\text{Limit, early startup}}$	$\Delta \hat{B}_{\text{Limit, early startup}}$	0.7	1.76	3.3	mT	These magnetic field changes are necessary for startup with the second edge
Permitted time for edges to exceed $\Delta \hat{B}_{\text{Limit, early startup}}$	$\Delta t_{\text{Limit, slow early startup}}$			590	ms	necessary for startup with the second edge $f < 1 \text{ Hz}$

### Behaviour at magnetic input signals slower than $T_{\text{stop}}$ (self-calibration time period):

Unlike the TLE 4941 magnetic changes exceeding  $\Delta \hat{B}_{\text{Limit, early startup}}$  can cause output switching of the TLE 4941-2, even at  $f$  significantly lower than 1Hz. Whether an output transition is issued or not depends on signal amplitude and signal frequency. In quiescent condition the internal operation of the IC is divided into time intervals of length  $T_{\text{stop}}$ . At each  $T_{\text{stop}}$  a new self-calibration is started if no output transition has occurred. Whenever the magnetic field change exceeds the digital noise constant before the  $T_{\text{stop}}$  interval is finished, the output is set to the correct state. At the same time a new time interval of length  $T_{\text{stop}}$  is started without doing a new calibration.

### 3 Additional remarks

All additional parameters for TLE 4941-2 are guaranteed by design, based on lab characterisations. For series production additional to the parameters of TLE4941 (standard type) only  $n_{\text{DZ-start}}$  is tested.

## **Appendix B : TLE 4941-2 - TLE 4941-2C**

### **1. Occurrence of initial calibration delay time $t_{d,input}$**

Identical to TLE 4941, TLE 4941 C Appendix B.

### **2. Magnetic input signal extremely close to a PGA switching threshold during signal startup:**

After signal startup normally all PGA switching into the appropriate gain state happens within less than one signal period. This is included in the calculation for  $n_{DZ-Startup}$ . For the very rare case that the signal amplitude is extremely close to a switching threshold of the PGA and the full range of the following speed ADC respectively, a slight change of the signal amplitude *can* cause one further PGA switching. It can be caused by non-perfect magnetic signal (amplitude modulation due to tolerances of polewheel, tooth wheel or air gap variation). This additional PGA switching *can* result in a further delay of the output signal ( $n_{DZ-Startup}$ ) up to three magnetic edges leading to a worst case of  $n_{DZ-Start}=9$  and  $n_{DR-Startup}=11$ . *However, the speed signal startup, comprised of  $n_{DR-Startup}$  and  $t_{d,input}$  is not affected by this behaviour for TLE 4941-2.*



SUNSTAR商斯达实业集团是集研发、生产、工程、销售、代理经销、技术咨询、信息服务等为一体的高科技企业，是专业高科技电子产品生产厂家，是具有10多年历史的专业电子元器件供应商，是中国最早和最大的仓储式连锁规模经营大型综合电子零部件代理分销商之一，是一家专业代理和分销世界各大品牌IC芯片和电子元器件的连锁经营综合性国际公司。在香港、北京、深圳、上海、西安、成都等全国主要电子市场设有直属分公司和产品展示展销窗口门市部专卖店及代理分销商，已在全国范围内建成强大统一的供货和代理分销网络。我们专业代理经销、开发生产电子元器件、集成电路、传感器、微波光电元器件、工控机/DOC/DOM电子盘、专用电路、单片机开发、MCU/DSP/ARM/FPGA软件硬件、二极管、三极管、模块等，是您可靠的一站式现货配套供应商、方案提供商、部件功能模块开发配套商。专业以现代信息产业（计算机、通讯及传感器）三大支柱之一的传感器为主营业务，专业经营各类传感器的代理、销售生产、网络信息、科技图书资料及配套产品设计、工程开发。我们的专业网站——中国传感器科技信息网（全球传感器数据库）[www.SENSOR-IC.COM](http://www.SENSOR-IC.COM) 服务于全球高科技生产商及贸易商，为企业科技产品开发提供技术交流平台。欢迎各厂商互通有无、交换信息、交换链接、发布寻求代理信息。欢迎国外高科技传感器、变送器、执行器、自动控制产品厂商介绍产品到中国，共同开拓市场。本网站是关于各种传感器-变送器-仪器仪表及工业自动化大型专业网站，深入到工业控制、系统工程计 测量、自动化、安防报警、消费电子等众多领域，把最新的传感器-变送器-仪器仪表买卖信息，最新技术供求，最新采购商，行业动态，发展方向，最新的技术应用和市场资讯及时的传递给广大科技开发、科学研究、产品设计人员。本网站已成功为石油、化工、电力、医药、生物、航空、航天、国防、能源、冶金、电子、工业、农业、交通、汽车、矿山、煤炭、纺织、信息、通信、IT、安防、环保、印刷、科研、气象、仪器仪表等领域从事科学研究、产品设计、开发、生产制造的科技人员、管理人员、和采购人员提供满意服务。我们公司专业生产、代理、经销、销售各种传感器、变送器、敏感元器件、开关、执行器、仪器仪表、自动化控制系统：专门从事设计、生产、销售各种传感器、变送器、各种测控仪表、热工仪表、现场控制器、计算机控制系统、数据采集系统、各类环境监控系统、专用控制系统应用软件以及嵌入式系统开发及应用等工作。如热敏电阻、压敏电阻、温度传感器、温度变送器、湿度传感器、湿度变送器、气体传感器、气体变送器、压力传感器、压力变送、称重传感器、物（液）位传感器、物（液）位变送器、流量传感器、流量变送器、电流（压）传感器、溶氧传感器、霍尔传感器、图像传感器、超声波传感器、位移传感器、速度传感器、加速度传感器、扭距传感器、红外传感器、紫外传感器、火焰传感器、激光传感器、振动传感器、轴角传感器、光电传感器、接近传感器、干簧管传感器、继电器传感器、微型电泵、磁敏（阻）传感器、压力开关、接近开关、光电开关、色标传感器、光纤传感器、齿轮测速传感器、时间继电器、计数器、计米器、温控仪、固态继电器、调压模块、电磁铁、电压表、电流表等特殊传感器。同时承接传感器应用电路、产品设计和自动化工程项目。

更多产品请看本公司产品专用销售网站：

商斯达中国传感器科技信息网：<http://www.sensor-ic.com/>

商斯达工控安防网：<http://www.pc-ps.net/>

商斯达电子元器件网：<http://www.sunstare.com/>

商斯达微波光电产品网：[HTTP://www.rfoe.net/](http://www.rfoe.net/)

商斯达消费电子产品网：<http://www.icasic.com/>

商斯达军工产品网：<http://www.junpinic.com/>

商斯达实业科技产品网：<http://www.sunstars.cn/> 传感器销售热线：

地址：深圳市福田区福华路福庆街鸿图大厦1602室

电话：0755-83607652 83376489 83376549 83370250 83370251 82500323

传真：0755-83376182 (0) 13902971329 MSN: [SUNS888@hotmail.com](mailto:SUNS888@hotmail.com)

邮编：518033 E-mail: [szss20@163.com](mailto:szss20@163.com) QQ: 195847376

深圳赛格展销部：深圳华强北路赛格电子市场2583号 电话：0755-83665529 25059422

技术支持：0755-83394033 13501568376

欢迎索取免费详细资料、设计指南和光盘；产品凡多，未能尽录，欢迎来电查询。

北京分公司：北京海淀区知春路132号中发电子大厦3097号

TEL: 010-81159046 82615020 13501189838 FAX: 010-62543996

上海分公司：上海市北京东路668号上海赛格电子市场D125号

TEL: 021-28311762 56703037 13701955389 FAX: 021-56703037

西安分公司：西安高新开发区20所(中国电子科技集团导航技术研究所)

西安劳动南路88号电子商城二楼D23号

TEL: 029-81022619 13072977981 FAX: 029-88789382