


EMI滤波器 LFA、LFB、LFH、LZA系列 EMI FILTERS LFA, LFB, LFH, LZA SERIES

推荐焊盘布局 Recommended land pattern.
印刷电路板设计 Board design

1.LZA05, LZA10

回流焊接 Reflow soldering




单位:mm
Unit:mm

型号 Type	LZA05	LZA10
形状 Size	1.0×0.5	1.6×0.8
A	0.4	0.7
B	1.4	2.0
C	0.5	0.7

2.LCA10, LFA10

回流焊接 Reflow soldering




单位:mm
Unit:mm

型号 Type	LCA10	LFA10
形状 Size	1.6×0.8	1.6×0.8
A	1.15	1.15
B	0.45	0.45
C	1.6	1.6
D	0.8	0.8
E	2.5	2.5
F	0.6	0.6
G	0.4	0.4

①建议经通孔连接到地线(LFA10)
Connection to ground pattern via through hole recommended (LFA10)

3.LCA20, LFA20, LFB20, LFA30, LFB30


回流焊接 Reflow soldering



单位:mm
Unit:mm

型号 Type	LCA20	LFA20 LFB20	LFA30 LFB30
形状 Size	2.0×1.25	2.0×1.25	3.2×1.6
A	0.6	0.6	1.3
B	1.5	1.5	2.3
C	1.0	1.0	1.3

流动焊接 Flow soldering




单位:mm
Unit:mm

型号 Type	LCA20	LFA20 LFB20	LFA30 LFB30
形状 Size	2.0×1.25	2.0×1.25	3.2×1.6
A	0.6	0.6	1.3
B	0.8	0.8	1.5
C	1.5	1.5	2.3
D	1.0	1.0	1.3
E	2.2	2.2	3.0
F	0.6	0.6	0.6

4.LCA14, LFA24, LFH24, LCA24, LFA34

回流焊接 Reflow soldering



单位:mm
Unit:mm

型号 Type	LCA14	LFA24 LCA24	LFH24	LFA34
形状 Size	1.6×0.8	2.0×1.25	2.0×1.0	3.2×1.6
A	2.2	2.6	2.6	3.8
B	1.2	1.5	1.5	2.5
C	0.5	0.75	0.63	0.9
D	1.4	1.85	1.73	2.6
E	0.4	0.5	0.5	0.8
F	0.15	0.25	0.25	0.45
G	0.5	0.55	0.55	0.65
H	0.15	0.23	0.23	0.45

音频信号线用滤波器 CMB12系列

Audio Line FILTER CMB12 SERIES

CMB12系列是小型、薄型的高性能滤波器，适用于移动电话及移动音响设备等音频信号线的降噪。采用全陶瓷结构，粘接强度高、贴装可靠性优异，特别适用于便携式设备的音频信号线。


The audio line filter, CMB12 series, are small-sized and highly effective to noise filtering for the audio lines for mobile phones and portable audio equipments. It is suitable for audio lines of mobile equipments, because monolithic construction of ceramic realizes excellent adherence strength of terminations and high reliability in mounting.

规格


- 形状: 1210(1.25×1.0mm)
- 额定电流: 500mA, 400mA, 100mA
- 额定电压: 5V DC
- 开放模式阻抗: 120, 150, 800, 1200Ω

Specification


- Dimension: 1210(1.25×1.0mm)
- Rated current: 100mA
- Open mode Impedance: 120, 150, 800, 1200Ω
- Rated voltage: 5V DC



型号构成 Part number system




形状·尺寸(mm) Dimensions (mm)




推荐焊盘布局

Recommended Land Pattern



等效电路


Equivalent circuits




型号一览表 Part number list

型号 Part number	开放模式阻抗 Open mode impedance (Ω:100MHz)	额定电压 Rated voltage	额定电流 Rated current	绝缘电阻 Insulation Resistance
CMB12-2H0H121M	120Ω	5V	500mA	100MΩmin.
CMB12-2G0H151M	150Ω		400mA	
CMB12-2A0H801M	800Ω		100mA	
CMB12-2A0H122M	1200Ω			

阻抗特性(参考) Impedance Characteristics (Reference)



测量电路 Measuring Circuit













包装形式

PACKING FORM

EMI滤波器 EMI FILTERS

单位: mm
Unit: mm

包装记号 Packing code	对应系列 Related series	包装数量 Packing Qty.	包装形式 Packing form																							
B	所有型号 All types	500	聚乙烯袋 Poly bag 																							
T	LZA05	10,000	 <table border="1" data-bbox="1040 488 1460 627"> <tr><td>A</td><td>B</td><td>C</td><td>D</td><td>E</td></tr> <tr><td>0.62 ±0.10</td><td>1.15 ±0.10</td><td>8.0 ±0.3</td><td>3.50 ±0.05</td><td>1.75 ±0.10</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>J</td><td>t</td></tr> <tr><td>2.0 ±0.1</td><td>2.00 ±0.05</td><td>4.0 ±0.1</td><td>φ1.5 +0.1 -0</td><td>0.8 以下 max</td></tr> </table>	A	B	C	D	E	0.62 ±0.10	1.15 ±0.10	8.0 ±0.3	3.50 ±0.05	1.75 ±0.10	F	G	H	J	t	2.0 ±0.1	2.00 ±0.05	4.0 ±0.1	φ1.5 +0.1 -0	0.8 以下 max			
	A	B	C	D	E																					
	0.62 ±0.10	1.15 ±0.10	8.0 ±0.3	3.50 ±0.05	1.75 ±0.10																					
	F	G	H	J	t																					
	2.0 ±0.1	2.00 ±0.05	4.0 ±0.1	φ1.5 +0.1 -0	0.8 以下 max																					
	LCA10 LFA10 LCA14	4,000	 <table border="1" data-bbox="1040 667 1460 801"> <tr><td>A</td><td>B</td><td>C</td><td>D</td><td>E</td></tr> <tr><td>1.00 ±0.05</td><td>1.8 ±0.05</td><td>8.0 ±0.2</td><td>3.50 ±0.05</td><td>1.75 ±0.1</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>J</td><td>t</td></tr> <tr><td>4.0 ±0.1</td><td>2.00 ±0.05</td><td>4.0 ±0.1</td><td>1.50^{+0.1}₋₀</td><td>0.7 ±0.1</td></tr> </table>	A	B	C	D	E	1.00 ±0.05	1.8 ±0.05	8.0 ±0.2	3.50 ±0.05	1.75 ±0.1	F	G	H	J	t	4.0 ±0.1	2.00 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	0.7 ±0.1			
	A	B	C	D	E																					
1.00 ±0.05	1.8 ±0.05	8.0 ±0.2	3.50 ±0.05	1.75 ±0.1																						
F	G	H	J	t																						
4.0 ±0.1	2.00 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	0.7 ±0.1																						
LZA10	4,000	 <table border="1" data-bbox="1040 846 1460 981"> <tr><td>A</td><td>B</td><td>C</td><td>D</td><td>E</td></tr> <tr><td>0.95 ±0.2</td><td>1.8 ±0.2</td><td>8.0 ±0.3</td><td>3.50 ±0.05</td><td>1.75 ±0.1</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>J</td><td>t</td></tr> <tr><td>4.0 ±0.1</td><td>2.00 ±0.05</td><td>4.0 ±0.1</td><td>1.50^{+0.1}₋₀</td><td>1.1以下</td></tr> </table>	A	B	C	D	E	0.95 ±0.2	1.8 ±0.2	8.0 ±0.3	3.50 ±0.05	1.75 ±0.1	F	G	H	J	t	4.0 ±0.1	2.00 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	1.1以下				
A	B	C	D	E																						
0.95 ±0.2	1.8 ±0.2	8.0 ±0.3	3.50 ±0.05	1.75 ±0.1																						
F	G	H	J	t																						
4.0 ±0.1	2.00 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	1.1以下																						
LCA20 LFA20 LFB20 LFA24 LCA24	4,000	 <table border="1" data-bbox="1040 1025 1460 1160"> <tr><td>A</td><td>B</td><td>C</td><td>D</td><td>E</td></tr> <tr><td>1.62 ±0.2</td><td>2.4 ±0.2</td><td>8.0 ±0.3</td><td>3.5 ±0.05</td><td>1.75 ±0.1</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>J</td><td>t</td></tr> <tr><td>4.0 ±0.1</td><td>2.0 ±0.05</td><td>4.0 ±0.1</td><td>1.50^{+0.1}₋₀</td><td>1.05 ±0.1</td></tr> </table>	A	B	C	D	E	1.62 ±0.2	2.4 ±0.2	8.0 ±0.3	3.5 ±0.05	1.75 ±0.1	F	G	H	J	t	4.0 ±0.1	2.0 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	1.05 ±0.1				
A	B	C	D	E																						
1.62 ±0.2	2.4 ±0.2	8.0 ±0.3	3.5 ±0.05	1.75 ±0.1																						
F	G	H	J	t																						
4.0 ±0.1	2.0 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	1.05 ±0.1																						
LFH24	4,000	 <table border="1" data-bbox="1040 1205 1460 1339"> <tr><td>A</td><td>B</td><td>C</td><td>D</td><td>E</td></tr> <tr><td>1.20 ±0.08</td><td>2.20 ±0.08</td><td>8.0 ±0.2</td><td>3.50 ±0.05</td><td>1.75 ±0.10</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>J</td><td>t</td></tr> <tr><td>4.0 ±0.1</td><td>2.00 ±0.05</td><td>4.0 ±0.1</td><td>1.50^{+0.1}₋₀</td><td>1.00 ±0.10</td></tr> </table>	A	B	C	D	E	1.20 ±0.08	2.20 ±0.08	8.0 ±0.2	3.50 ±0.05	1.75 ±0.10	F	G	H	J	t	4.0 ±0.1	2.00 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	1.00 ±0.10				
A	B	C	D	E																						
1.20 ±0.08	2.20 ±0.08	8.0 ±0.2	3.50 ±0.05	1.75 ±0.10																						
F	G	H	J	t																						
4.0 ±0.1	2.00 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	1.00 ±0.10																						
LFA30 LFB30	2,000	 <table border="1" data-bbox="1040 1384 1460 1518"> <tr><td>A</td><td>B</td><td>C</td><td>D</td><td>E</td><td>F</td></tr> <tr><td>1.9 ±0.2</td><td>3.5 ±0.2</td><td>8.0 ±0.3</td><td>3.5 ±0.05</td><td>1.75 ±0.1</td><td>4.0 ±0.1</td></tr> <tr><td>G</td><td>H</td><td>J</td><td>K</td><td>t</td><td>Q</td></tr> <tr><td>2.0 ±0.05</td><td>4.0 ±0.1</td><td>1.55 ±0.1</td><td>1.20 ±0.2</td><td>0.25 ±0.05</td><td>1.15 ±0.05</td></tr> </table>	A	B	C	D	E	F	1.9 ±0.2	3.5 ±0.2	8.0 ±0.3	3.5 ±0.05	1.75 ±0.1	4.0 ±0.1	G	H	J	K	t	Q	2.0 ±0.05	4.0 ±0.1	1.55 ±0.1	1.20 ±0.2	0.25 ±0.05	1.15 ±0.05
A	B	C	D	E	F																					
1.9 ±0.2	3.5 ±0.2	8.0 ±0.3	3.5 ±0.05	1.75 ±0.1	4.0 ±0.1																					
G	H	J	K	t	Q																					
2.0 ±0.05	4.0 ±0.1	1.55 ±0.1	1.20 ±0.2	0.25 ±0.05	1.15 ±0.05																					
LFA34	2,000	 <table border="1" data-bbox="1040 1563 1460 1697"> <tr><td>A</td><td>B</td><td>C</td><td>D</td><td>E</td><td>F</td></tr> <tr><td>1.9 ±0.2</td><td>3.5 ±0.2</td><td>8.0 ±0.3</td><td>3.5 ±0.05</td><td>1.75 ±0.1</td><td>4.0 ±0.1</td></tr> <tr><td>G</td><td>H</td><td>J</td><td>K</td><td>t</td><td>Q</td></tr> <tr><td>2.0 ±0.05</td><td>4.0 ±0.1</td><td>1.50^{+0.1}₋₀</td><td>1.0 ±0.2</td><td>0.25 ±0.05</td><td>1.0^{+0.1}₋₀</td></tr> </table>	A	B	C	D	E	F	1.9 ±0.2	3.5 ±0.2	8.0 ±0.3	3.5 ±0.05	1.75 ±0.1	4.0 ±0.1	G	H	J	K	t	Q	2.0 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	1.0 ±0.2	0.25 ±0.05	1.0 ^{+0.1} ₋₀
A	B	C	D	E	F																					
1.9 ±0.2	3.5 ±0.2	8.0 ±0.3	3.5 ±0.05	1.75 ±0.1	4.0 ±0.1																					
G	H	J	K	t	Q																					
2.0 ±0.05	4.0 ±0.1	1.50 ^{+0.1} ₋₀	1.0 ±0.2	0.25 ±0.05	1.0 ^{+0.1} ₋₀																					
CMB12	4,000	 <table border="1" data-bbox="1040 1742 1460 1877"> <tr><td>A</td><td>B</td><td>W</td><td>F</td><td>E</td></tr> <tr><td>1.20 ±0.2</td><td>1.45 ±0.05</td><td>8.0 ±0.2</td><td>3.50 ±0.05</td><td>1.75 ±0.10</td></tr> <tr><td>P₁</td><td>P₂</td><td>P₀</td><td>D₀</td><td>T</td></tr> <tr><td>4.0 ±0.1</td><td>2.00 ±0.05</td><td>4.0 ±0.1</td><td>φ1.5^{+0.1}₋₀</td><td>0.68 ±0.05</td></tr> </table>	A	B	W	F	E	1.20 ±0.2	1.45 ±0.05	8.0 ±0.2	3.50 ±0.05	1.75 ±0.10	P ₁	P ₂	P ₀	D ₀	T	4.0 ±0.1	2.00 ±0.05	4.0 ±0.1	φ1.5 ^{+0.1} ₋₀	0.68 ±0.05				
A	B	W	F	E																						
1.20 ±0.2	1.45 ±0.05	8.0 ±0.2	3.50 ±0.05	1.75 ±0.10																						
P ₁	P ₂	P ₀	D ₀	T																						
4.0 ±0.1	2.00 ±0.05	4.0 ±0.1	φ1.5 ^{+0.1} ₋₀	0.68 ±0.05																						
所有型号 All types			 <table border="1" data-bbox="912 1921 1460 2020"> <tr><td>记号Code</td><td>A</td><td>B</td><td>C</td><td>D</td><td>E</td><td>W₁</td><td>W₂</td><td>r</td></tr> <tr><td>RRM08B</td><td>φ180.0⁺⁰₋₃</td><td>φ60⁺¹₋₀</td><td>φ13.0 ±0.2</td><td>R10.5 ±0.4</td><td>2.0 ±0.5</td><td>9.0 ±0.3</td><td>11.4 ±1.0</td><td>0.5</td></tr> </table>	记号Code	A	B	C	D	E	W ₁	W ₂	r	RRM08B	φ180.0 ⁺⁰ ₋₃	φ60 ⁺¹ ₋₀	φ13.0 ±0.2	R10.5 ±0.4	2.0 ±0.5	9.0 ±0.3	11.4 ±1.0	0.5					
记号Code	A	B	C	D	E	W ₁	W ₂	r																		
RRM08B	φ180.0 ⁺⁰ ₋₃	φ60 ⁺¹ ₋₀	φ13.0 ±0.2	R10.5 ±0.4	2.0 ±0.5	9.0 ±0.3	11.4 ±1.0	0.5																		

EMI FILTER