

Power Dividers/Combiners

FEATURES:

- ❖ 0.5-50GHz
- ❖ Low Insertion Loss
- ❖ Rugged Construction
- ❖ Economically priced.

**CDP Series**

APPLICATIONS:

- ❖ CDMA / GSM
- ❖ PHS / WLAN
- ❖ WCSMA / DCS
- ❖ Test Benches

SPECIFICATIONS:

| Model Number | Frequency Range (MHz) | Insertion Loss (dB) Max. | Isolation (dB) Min. | Power Avg (W) Max. | VSWR Max. In/Out | Connector Type | Case Type (mm) |
|---------------|-----------------------|--------------------------|---------------------|--------------------|------------------|----------------|--------------------|
| 2-way | | | | | | | |
| CDPV1U5U802R | 10-500 | 0.8 | 20 | 1 | 1.5:1 | SMA | 25.4 x 36.6 x 10 |
| CDPU3U80302H | 350-800 | 3.3 | 20 | 50 | 1.25:1 | N-F | 102 X 102 X 35 |
| CDPU501U702R | 500-1000 | 0.7 | 6 | 10 | 2.0:1 | SMA | 77.8 x 11 x 9.6 |
| CDPU501U302T | 500-1000 | 0.35 | 20 | 30 | 1.20/1.15 | SMA-F | 54 x 28 x 10 |
| CDPU502U502T | 500-2000 | 0.50 | 20 | 30 | 1.25/1.20 | SMA-F | 54 X 28 X10 |
| CDPU504U502R | 500-4000 | 0.5 | 20 | 10 | 1.3/1.2:1 | SMA | 38 x 76 x 9.6 |
| CDPU506U802T | 500-6000 | 0.8 | 18 | 30 | 1.40/1.30 | SMA-F | * |
| CDPU5180102K | 500-18000 | 1.5 | 19 | 10 | 1.45:1 | SMA | 197 x 25 x 13 |
| CDPU5260102K | 500-26500 | 1.9 | 19 | 10 | 1.60:1 | SMA | 197 x 25 x 13 |
| CDPU802U402T | 800-2500 | 0.4 | 20 | 20 | 1.30/1.20 | SMA-F | 35 X 28 X10 |
| CDPU802U302B | 800-2500 | 0.3 | 21 | * | 1.2:1 | N-F | 88 x 96 x 23 |
| CDPU8020302H | 800-2500 | 3.4 | 20 | 50 | 1.2:1 | N-F | 88 X 96 X23 |
| CDPU8030302H | 800-3500 | 3.7 | 18 | 50 | 1.25:1 | N-F | 76 X 50 X 21 |
| CDPU8U80302G | 869-894 | 3.55 | 50 | 200 | * | SMA | 96.8 x 105 x 23.5 |
| CDPU9U90302G1 | 925-950 | 3.6 | 50 | 200 | * | SMA | 96.8 x 105 x 23.5 |
| CDPU9U90302G2 | 935-960 | 3.55 | 50 | 100 | * | SMA | 96.8 x 105 x 23.5 |
| CDPU9U90602G | 935-960 | 6.8 | 50 | 400 | * | SMA | 216.9 x 175 x 24.5 |
| CDP0102U302T | 1000-2000 | 0.35 | 20 | 30 | 1.20/1.15 | SMA-F | 28 x 28 x 10 |
| CDP0104U502T | 1000-4000 | 0.5 | 20 | 30 | 1.30/1.25 | SMA-F | 28 X 28 X 10 |
| CDP01080102T | 1000-8000 | 1.2 | 16 | 30 | 1.4/1.35 | SMA-F | 41X 28 X 10 |
| CDP01120102T | 1000-12400 | 1.50 | 16 | 30 | 1.45/1.35 | SMA-F | * |

Power Dividers/Combiners

| Model Number | Frequency Range (MHz) | Insertion Loss (dB) Max. | Isolation (dB) Min. | Power Avg (W) Max. | VSWR Max. In/Out | Connector Type | Case Type (mm) |
|---------------|-----------------------|--------------------------|---------------------|--------------------|------------------|----------------|-------------------|
| CDP01180102T | 1000-18000 | 1.6 | 16 | 30 | 1.60/1.60 | SMA-F | * |
| CDP01180102K | 1000-18000 | 1.2 | 19 | 10 | 1.45:1 | * | 105 x 25 x 13 |
| CDP01260102K | 1000-26500 | 1.6 | 21 | 10 | 1.6:1 | * | 105 x 25 x 13 |
| CDP01020302S | 1700-2500 | 3.4 | 20 | 30 | 1.3:1 | N-F/SMA | 60 x 50 x 21 |
| CDP01010302G1 | 1805-1880 | 3.65 | 50 | 100 | * | SMA | 96.8 x 105 x 29.5 |
| CDP01010302G2 | 1805-1880 | 3.7 | 50 | 200 | * | SMA | 96.8 x 105 x 29.5 |
| CDP01010302G | 1900-1920 | 3.55 | 50 | 60 | * | N-F | 80 x 61 x 20 |
| CDP0204U302T | 2000-4000 | 0.35 | 20 | 30 | 1.25/1.20 | SMA-F | 28 x 28 x 10 |
| CDP0208U602T | 2000-8000 | 0.6 | 20 | 30 | 1.30/1.20 | SMA-F | 28 X 28 X 10 |
| CDP02180102T | 2000-18000 | 1.20 | 16 | 30 | 1.50/1.50 | SMA-F | * |
| CDP02180102K | 2000-18000 | 1.1 | 19 | 10 | 1.45:1 | SMA | 57 x 25 x 13 |
| CDP02260102K | 2000-26500 | 1.4 | 18 | 10 | 1.6:1 | SMA | 57 x 28.7 x 13 |
| CDP0202U302B | 2350 | 0.3 | 30 | * | 1.2:1 | SMA | 33 x 19 x 22 |
| CDP0408U502T | 4000-8000 | 0.50 | 20 | 30 | 1.25/1.20 | SMA-F | 28 x 28 x 10 |
| CDP0418U802T | 4000-18000 | 0.8 | 18 | 30 | 1.5/1.5 | SMA-F | 36 X 24 X 10 |
| CDP0506U302B | 5500-6000 | 0.3 | * | * | 1.5:1 | N-F | 36 x 40 x 19.5 |
| CDP0618U702T | 6000-18000 | 0.7 | 18 | 30 | 1.5/1.5 | SMA-F | 30 x 24 x 10 |
| CDP06400102R | 6000-40000 | 1.0 | 15 | 10 | 2.0:1 | K-F | 25.4 x 11 x 9.6 |
| CDP0712U702R | 7000-12400 | 0.7 | 16 | 10 | 1.7:1 | SMA | 44.3 x 44.3 x 11 |
| CDP0816U802R | 8000-16000 | 0.8 | 15 | 10 | 1.7/1.6:1 | SMA | 77.8 x 11 x 9.6 |
| CDP1030U802R | 10000-30000 | 0.8 | 16 | 10 | 1.6:1 | SMA | 11 x 22 x 9.9 |
| CDP1218U902R | 12000-18000 | 0.9 | 15 | 10 | 2.0:1 | SMA | 44.3 x 44.3 x 11 |
| CDP1618U902R | 16000-18000 | 0.9 | 14 | 10 | 1.8/1.9:1 | SMA | 77.8 x 11 x 9.6 |
| CDP18200102R | 18000-20000 | 1.1 | 7 | 10 | 2.0:1 | SMA | 77.8 x 11 x 9.6 |
| 3-way | | | | | | | |
| CDPV1U50103R | 10-500 | 1.0 | 18 | 1 | 1.5:1 | SMA | 25.4 x 47.75 x 10 |
| CDPU3U80503H | 350-800 | 5.3 | 20 | 30 | 1.25:1 | N-F | 122 X 106 X 35 |
| CDPU501U303R | 500-1000 | 0.3 | 17 | 10 | 1.5:1 | SMA | 71 x 55.9 x 15 |
| CDPU701U303R | 750-1500 | 0.3 | 17 | 10 | 1.5:1 | SMA | 58.4 x 45.7 x 15 |
| CDPU8U90503H | 800-965 | 6.5 | 20 | 50 | 1.25:1 | N-F | 110 X 92 X 23 |
| CDPU802U603TN | 800-2500 | 0.6 | 20 | 50 | 1.3:1 | N-F | 77 x 74 x 22 |
| CDPU802U403B | 800-2500 | 0.4 | 21 | * | 1.2:1 | N-F | 102 x 128 x 23 |
| CDPU8030603H | 800-3500 | 6.0 | 18 | 50 | 1.3:1 | N-F | 123 X 87 X 21 |
| CDP0102U303R | 1000-2000 | 0.3 | 19 | 10 | 1.45:1 | SMA | 58 x 46 x 15 |
| CDP0103U403R | 1500-3000 | 0.4 | 19 | 10 | 1.5:1 | SMA | 50.8 x 36.6 x 11 |
| CDP01020503S | 1700-2500 | 5.2 | 20 | 30 | 1.3:1 | N-F/SMA | 95 x 70 x 21 |
| CDP01020503H | 1710-2500 | 5.3 | 20 | 50 | 1.2:1 | N-F | 110 X 92 X 23 |
| CDP0204U603T | 2000-4000 | 0.6 | 18 | 30 | 1.30/1.30 | SMA-F | * |
| CDP0204U503R | 2000-4000 | 0.5 | 19 | 10 | 1.5:1 | SMA | 47.8 x 36.6 x 11 |
| CDP02080103T | 2000-8000 | 1.3 | 18 | 30 | 1.4/1.30 | SMA-F | * |

Power Dividers/Combiners

| Model Number | Frequency Range (MHz) | Insertion Loss (dB) Max. | Isolation (dB) Min. | Power Avg (W) Max. | VSWR Max. In/Out | Connector Type | Case Type (mm) |
|--------------|-----------------------|--------------------------|---------------------|--------------------|------------------|----------------|-------------------|
| CDP0408U503R | 4000-8000 | 0.5 | 16 | 10 | 1.6:1 | SMA | 47.8 x 36.6 x 11 |
| CDP0712U803R | 7000-12400 | 0.8 | 12 | 10 | 1.8:1 | SMA | 30.4 x 36.6 x 11 |
| CDP08180103T | 8000-18000 | 1.2 | 18 | 30 | 1.6/1.5 | SMA-F | * |
| CDP12180103R | 12000-18000 | 1.0 | 10 | 10 | 2.0:1 | SMA | 30.4 x 36.6 x 11 |
| 4-way | | | | | | | |
| CDPV1U50104R | 10-500 | 1.5 | 20 | 1 | 1.5:1 | SMA | 25.4 x 58.9 x 10 |
| CDPU3U80604H | 350-800 | 6.5 | 20 | 50 | 1.25:1 | N-F | 206X107X35 |
| CDPU5010104R | 500-1000 | 1.6 | 5 | 10 | 3.0/1.8:1 | SMA | 50.8 x 76.2 x 9.6 |
| CDPU501U604T | 500-1000 | 0.6 | 20 | 30 | 1.25/1.20 | SMA-F | 76 x 56 x 10 |
| CDPU5020104T | 500-2000 | 1.0 | 20 | 30 | 1.30/1.20 | SMA-F | 76 X 56 X 10 |
| CDPU5040104R | 500-4000 | 1.1 | 20 | 10 | 1.4/1.3:1 | SMA | 58 x 106 x 9.6 |
| CDPU5060104T | 500-6000 | 1.8 | 16 | 30 | 1.60/1.50 | SMA-F | * |
| CDPU5180404K | 500-18000 | 4.0 | 16 | 10 | 1.7/1.5:1 | SMA | 203 x 66 x 13 |
| CDPU5260404K | 500-26500 | 4.3 | 16 | 10 | 1.8/1.7:1 | SMA | 203 x 66 x 13 |
| CDPU701U804B | 700-1600 | 0.8 | * | * | 1.5:1 | N-F | 65 x 83 x 19.5 |
| CDPU802U704T | 800-2500 | 0.7 | 20 | 30 | 1.30/1.20 | SMA-F | 56.7 x 50.7 x 10 |
| CDPU802U604B | 800-2500 | 0.6 | 21 | * | 1.2:1 | N-F | 140 x 104 x 23 |
| CDPU8020604H | 800-2500 | 6.6 | 20 | 50 | 1.2:1 | N-F | 104 x 71 x 19 |
| CDPU8030704H | 800-3500 | 7.5 | 18 | 50 | 1.3:1 | N-F | 177X106X20 |
| CDP0102U604T | 1000-2000 | 0.6 | 20 | 30 | 1.30/1.20 | SMA-F | 43 x 56 x 10 |
| CDP0104U804T | 1000-4000 | 0.8 | 20 | 30 | 1.30/1.20 | SMA-F | 43 X 56 X 10 |
| CDP01080204T | 1000-8000 | 2.2 | 15 | 30 | 1.5/1.4 | SMA-F | 70.5 X 56 X 10 |
| CDP01120204T | 1000-12400 | 2.8 | 16 | 30 | 1.6/1.35 | SMA-F | * |
| CDP01180204T | 1000-18000 | 2.9 | 14 | 30 | 1.8/1.6 | SMA-F | * |
| CDP01180304K | 1000-18000 | 3.0 | 16 | 10 | 1.7/1.5:1 | SMA | 114 x 66 x 13 |
| CDP01260304K | 1000-26500 | 3.3 | 16 | 10 | 1.9/1.7:1 | SMA | 114 x 66 x 13 |
| CDP0102U704B | 1700-2050 | 0.7 | 21 | * | 1.2:1 | N-F | 104 x 104 x 20.5 |
| CDP01020604S | 1700-2500 | 6.4 | 20 | 30 | 1.3:1 | N-F/SMA | 110 x 74 x 21 |
| CDP0204U604T | 2000-4000 | 0.6 | 20 | 30 | 1.30/1.20 | SMA-F | 43 x 56 x 10 |
| CDP0206U504R | 2000-6000 | 0.5 | 17 | 10 | 1.5/1.3:1 | SMA | 50.8 x 76.2 x 9.6 |
| CDP02080104T | 2000-8000 | 1.2 | 17 | 30 | 1.40/1.35 | SMA-F | * |
| CDP02180204K | 2000-18000 | 2.0 | 16 | 10 | 1.7/1.5:1 | SMA | 117 x 51 x 13 |
| CDP02180204T | 2000-18000 | 2.2 | 16 | 30 | 1.65/1.60 | SMA-F | 64 x 69 x 10 |
| CDP02260204K | 2000-26500 | 2.3 | 16 | 10 | 1.9/1.7:1 | SMA | 117 x 51 x 13 |
| CDP0408U804T | 4000-8000 | 0.8 | 20 | 30 | 1.30/1.25 | SMA-F | 43 x 56 x 10 |
| CDP04180104T | 4000-18000 | 1.6 | 17 | 30 | 1.6/1.5 | SMA-F | 60 X 50.5 X 10 |
| CDP05060104B | 5500-6000 | 1.0 | * | * | 1.5:1 | N-F | 96 x 42.3 x 21.5 |
| CDP0616U904R | 6000-16000 | 0.9 | 16 | 10 | 1.7/1.35:1 | SMA | 50.8 x 76.2 x 9.6 |
| CDP06180104T | 6000-18000 | 1.3 | 18 | 30 | 1.6/1.5 | SMA-F | 45 x 50.5 x 10 |
| CDP06400104R | 6000-40000 | 1.6 | 15 | 10 | 2.0:1 | K-F | 45 x 35 x 9.6 |

Power Dividers/Combiners

| Model Number | Frequency Range (MHz) | Insertion Loss (dB) Max. | Isolation (dB) Min. | Power Avg (W) Max. | VSWR Max. In/Out | Connector Type | Case Type (mm) |
|--------------|-----------------------|--------------------------|---------------------|--------------------|------------------|----------------|---------------------|
| CDP07120104R | 7000-12400 | 1.0 | 16 | 10 | 1.7:1 | SMA | 44.7 x 44.7 x 11 |
| CDP10300104R | 10000-30000 | 1.6 | 16 | 10 | 1.8:1 | SMA | 44.7 x 30.5 x 9.9 |
| CDP12180204R | 12000-18000 | 2.0 | 15 | 10 | 2.0:1 | SMA | 44.7 x 44.7 x 11 |
| CDP16180104R | 16000-18000 | 1.2 | 15 | 10 | 1.7/1.5:1 | SMA | 50.8 x 76.2 x 9.6 |
| 6-way | | | | | | | |
| CDPV1U50106R | 10-500 | 1.75 | 15 | 1 | 1.5:1 | SMA | 31.75 x 81 x 10 |
| CDPU501U506R | 500-1000 | 0.55 | 18 | 10 | 1.5:1 | SMA | 86.4 x 101.6 x 15.2 |
| CDPU701U506R | 750-1500 | 0.55 | 18 | 10 | 1.5:1 | SMA | 73.7 x 91.4 x 15.2 |
| CDP0102U506R | 1000-2000 | 0.55 | 18 | 10 | 1.5:1 | SMA | 73.7 x 91.4 x 15.2 |
| CDP0103U506R | 1500-3000 | 0.55 | 18 | 10 | 1.5:1 | SMA | 66 x 70 x 11 |
| CDP0204U706R | 2000-4000 | 0.7 | 17 | 10 | 1.5:1 | SMA | 63 x 70 x 11 |
| CDP02080106T | 2000-8000 | 1.6 | 17 | 30 | 1.4/1.3 | SMA-F | * |
| CDP0408U906R | 4000-8000 | 0.9 | 16 | 10 | 1.6:1 | SMA | 63 x 70 x 11 |
| CDP07120106R | 7000-12400 | 1.3 | 12 | 10 | 1.8:1 | SMA | 82 x 70 x 11 |
| CDP12180106R | 12000-18000 | 1.7 | 10 | 10 | 2.0:1 | SMA | 82 x 70 x 11 |
| 8-way | | | | | | | |
| CDPV1U50208R | 10-500 | 2.0 | 17 | 1 | 1.5:1 | SMA | 31.75 x 104 x 10 |
| CDPU5010108R | 500-1000 | 1.0 | 20 | 10 | 1.2:1 | SMA | 106.7 x 121.9 x 15 |
| CDPU5020108T | 500-2000 | 1.5 | 20 | 30 | 1.4/1.3 | SMA-F | 103 X 108 X 10 |
| CDPU5040108R | 500-4000 | 1.6 | 20 | 10 | 1.5/1.4:1 | SMA | 109 x 153.67 x 9.6 |
| CDPU5060208T | 500-6000 | 2.8 | 16 | 30 | 1.6/1.5 | SMA-F | * |
| CDPU8020108T | 800-2500 | 1.2 | 20 | 30 | 1.4/1.25 | SMA-F | 108 X 75 X 10 |
| CDPU7010108R | 750-1500 | 1.0 | 20 | 10 | 1.2:1 | SMA | 73.7 x 121.9 x 15 |
| CDP01020108T | 1000-2000 | 1.0 | 20 | 30 | 1.30/1.20 | SMA-F | 63 x 108 x 10 |
| CDP01040108T | 1000-4000 | 1.5 | 20 | 30 | 1.40/1.30 | SMA-F | 63 X 108 X 10 |
| CDP01030108R | 1500-3000 | 1.0 | 20 | 10 | 1.25:1 | SMA | 58.4 x 121.9 x 15 |
| CDP0204U908T | 2000-4000 | 0.9 | 20 | 30 | 1.30/1.20 | SMA-F | 63 x 108 x 10 |
| CDP02080108T | 2000-8000 | 1.8 | 17 | 30 | 1.65/1.35 | SMA-F | 63 X 108 X 10 |
| CDP02180308T | 2000-18000 | 3.5 | 15 | 30 | 1.85/1.60 | SMA-F | 148.5 X 95 X 10 |
| CDP04080108T | 4000-8000 | 1.2 | 18 | 30 | 1.5/1.25 | SMA-F | 63 x 108 x 10 |
| CDP04180208T | 4000-18000 | 2.5 | 15 | 30 | 1.80/1.50 | SMA-F | * |
| CDP06180208T | 6000-18000 | 2.1 | 17 | 30 | 1.8/1.5 | SMA-F | 60 x 101.4 x 10 |
| CDP07120208R | 7000-12400 | 2.0 | 16 | 10 | 1.7:1 | SMA | 63.5 x 132 x 15 |
| CDP10260208R | 10000-26500 | 2.4 | 16 | 10 | 2.0:1 | SMA | * |
| CDP10300208R | 10000-30000 | 2.4 | 16 | 10 | 2.0:1 | SMA | 89.4 x 41.4 x 9.9 |
| CDP12180208R | 12000-18000 | 2.5 | 15 | 10 | 2.0:1 | SMA | 63.5 x 121.9 x 11 |
| 9-way | | | | | | | |
| CDPU501U609R | 500-1000 | 0.6 | 17 | 10 | 1.5:1 | SMA | 139.7 x 147.3 x 15 |
| CDPU701U609R | 750-1500 | 0.6 | 17 | 10 | 1.5:1 | SMA | 114.3 x 137.1 x 15 |
| CDP0102U609R | 1000-2000 | 0.6 | 18 | 10 | 1.6:1 | SMA | 114.3 x 137.1 x 15 |

Power Dividers/Combiners

| Model Number | Frequency Range (MHz) | Insertion Loss (dB) Max. | Isolation (dB) Min. | Power Avg (W) Max. | VSWR Max. In/Out | Connector Type | Case Type (mm) |
|---------------|-----------------------|--------------------------|---------------------|--------------------|------------------|----------------|--------------------|
| CDP0103U709R | 1500-3000 | 0.75 | 18 | 10 | 1.6:1 | SMA | 99 x 103.6 x 11 |
| CDP0204U909R | 2000-4000 | 0.9 | 17 | 10 | 1.8:1 | SMA | 95.2 x 103.6 x 11 |
| CDP04080109R | 4000-8000 | 1.0 | 16 | 10 | 1.8:1 | SMA | 95.2 x 103.6 x 11 |
| CDP07120109R | 7000-12400 | 1.4 | 12 | 10 | 2.0:1 | SMA | 60.9 x 103.6 x 11 |
| CDP12180109R | 12000-18000 | 1.8 | 10 | 10 | 2.0:1 | SMA | 60.9 x 103.6 x 11 |
| 12-way | | | | | | | |
| CDPU501U812R | 500-1000 | 0.85 | 17 | 10 | 1.5:1 | SMA | 101.6 x 193 x 15 |
| CDPU701U812R | 750-1500 | 0.85 | 17 | 10 | 1.5:1 | SMA | 88.9 x 182.9 x 15 |
| CDP0102U812R | 1000-2000 | 0.85 | 18 | 10 | 1.6:1 | SMA | 88.9 x 182.9 x 15 |
| CDP01030112R | 1500-3000 | 1.0 | 18 | 10 | 1.6:1 | SMA | 81.2 x 137.1 x 11 |
| CDP02040112R | 2000-4000 | 1.0 | 17 | 10 | 1.8:1 | SMA | 78.2 x 137.1 x 11 |
| CDP02080212T | 2000-8000 | 2.5 | 16 | 30 | 1.6/1.4 | SMA-F | 88 X 159 X 10 |
| CDP04080112R | 4000-8000 | 1.4 | 16 | 10 | 1.8:1 | SMA | 78.2 x 137.1 x 11 |
| CDP07120112R | 7000-12400 | 1.8 | 12 | 10 | 2.0:1 | SMA | 60.9 x 137.1 x 11 |
| CDP08180212T | 8000-18000 | 2.5 | 14 | 30 | 1.8/1.5 | SMA-F | * |
| CDP12180212R | 12000-18000 | 2.4 | 10 | 10 | 2.0:1 | SMA | 60.9 x 137.1 x 11 |
| 16-way | | | | | | | |
| CDPU5010116R | 500-1000 | 1.5 | 20 | 10 | 1.25:1 | SMA | 121.9 x 243.8 x 15 |
| CDPU7010116R | 750-1500 | 1.5 | 20 | 10 | 1.25:1 | SMA | 88.9 x 243.8 x 15 |
| CDPU8020116T | 800-2500 | 1.7 | 18 | 30 | 1.50/1.30 | SMA-F | 212 X 104 X 12 |
| CDP01020116R | 1000-2000 | 1.2 | 20 | 10 | 1.3:1 | SMA | 88.9 x 243.8 x 15 |
| CDP01030116R | 1500-3000 | 1.5 | 20 | 10 | 1.3:1 | SMA | 73.7 x 243.8 x 15 |
| CDP02040116R | 2000-4000 | 1.5 | 20 | 10 | 1.35:1 | SMA | 73.7 x 178.8 x 11 |
| CDP02040116T | 2000-4000 | 1.8 | 18 | 30 | 1.8:1.6 | SMA-K | 63X217X10 |
| CDP04080216R | 4000-8000 | 2.0 | 18 | 10 | 1.55:1 | SMA | 73.7 x 178.8 x 11 |
| CDP07120216R | 7000-12400 | 2.5 | 16 | 10 | 1.75:1 | SMA | 78.7 x 178.8 x 11 |
| CDP12180316R | 12000-18000 | 3.0 | 15 | 10 | 2.05:1 | SMA | 78.7 x 178.8 x 11 |

Cavity:

| Model Number | Frequency Range (MHz) | Insertion Loss (dB) Max. | Isolation (dB) Min. | Power Avg (W) Max. | VSWR Max. | Connector Type | Case Type (mm) |
|--------------|-----------------------|--------------------------|---------------------|--------------------|-----------|----------------|-------------------|
| 2-way | | | | | | | |
| CDPU6040302H | 600-4000 | 3.3 | * | 200 | 1.25:1 | N-F | 249.6 x 60.2 x 25 |
| CDPU802U102S | 800-2200 | 0.1 | * | 300 | 1.2:1 | N-F | * |
| CDPU8020302H | 800-2500 | 3.2 | * | 200 | 1.2:1 | N-F | 210.6 X 60.2x24.6 |
| CDPU8060302H | 800-6000 | 3.5 | * | 200 | 1.3:1 | N-F | 214.2 x 60.2 x 25 |
| CDP0202U202S | 2200-2500 | 0.2 | * | 300 | 1.2:1 | N-F | * |
| CDP0102U102S | 1700-2500 | 0.1 | * | 300 | 1.2:1 | N-F | * |



Power Dividers/Combiners

| Model Number | Frequency Range (MHz) | Insertion Loss (dB) Max. | Isolation (dB) Min. | Power Avg (W) Max. | VSWR Max. | Connector Type | Case Type (mm) |
|--------------|-----------------------|--------------------------|---------------------|--------------------|-----------|----------------|------------------|
| 3-way | | | | | | | |
| CDPU6040503H | 600-4000 | 5.2 | * | 200 | 1.25:1 | N-F | 240.1 x 60.2 x25 |
| CDPU802U103S | 800-2200 | 0.1 | * | 300 | 1.2:1 | N-F | * |
| CDPU802U203S | 800-2500 | 0.2 | 20 | 300 | 1.2:1 | SMA | * |
| CDPU8020503H | 800-2500 | 5.02 | * | 200 | 1.2:1 | N-F | 235.2 X60.2X24.8 |
| CDPU8060503H | 800-6000 | 5.4 | * | 200 | 1.3:1 | N-F | 249.4 X60.2 X 25 |
| CDP0202U203S | 2200-2500 | 0.2 | * | 300 | 1.2:1 | N-F | * |
| CDP0102U103S | 1700-2500 | 0.1 | * | 300 | 1.2:1 | N-F | * |
| 4-way | | | | | | | |
| CDPU6040604H | 600-4000 | 6.4 | * | 200 | 1.27:1 | N-F | 2256.3X60.2X42.6 |
| CDPU802U104S | 800-2200 | 0.1 | * | 300 | 1.2:1 | N-F | * |
| CDPU8020604H | 800-2500 | 6.2 | * | 200 | 1.2:1 | N-F | 235.2X60.2X24.8 |
| CDPU8060604H | 800-6000 | 6.6 | * | 200 | 1.35:1 | N-F | 266.2X60.2X42.5 |
| CDP0202U204S | 2200-2500 | 0.2 | * | 300 | 1.2:1 | N-F | * |
| CDP0102U104S | 1700-2500 | 0.1 | * | 300 | 1.2:1 | N-F | * |

OTHER FREQUENCIES AND DIVIDERS ARE ALSO AVAILABLE.

NOTES: * CONSULT THE FACTORY

CERNEX RESERVE THE RIGHT TO CHANGE THE SPECIFICATIONS WITHOUT NOTICE.