

Typical Examples Of Select Encoder Applications

Pitch Control

Model MA36S

- IP67 Sealing
- Standard Size 36 mm Package
- SSI and CANopen Communications
- Multiturn Absolute Encoder (12 Bit/40 Bit)
- Proven New Turns Counting Technology - No Gears or Batteries



Model 702

- Up to 30,000 CPR
- IP67 Sealing Available
- Flange, Servo Mounting
- Standard Size 20 Package (2" x 2")
- 100° C Operating Temperature Option
- 80 lb Max. Axial and Radial Shaft Loading



Model 725

- Standard Size 25 Package (2.5" x 2.5")
- 100° C Operating Temperature Option
- Standard and Industrial Housings
- Servo and Flange Mounting
- IP67 Sealing Available
- Up to 30,000 CPR



Rotational Speed Control

Model 25T

- 2.5" Opto-ASIC Encoder, Low Profile (2.0")
- Standard Bore Sizes from 0.625" to 1.125"
- Metric Bore Sizes from 6 mm to 28 mm
- 105° C Operating Temperature Option
- Versatile Flexible Mounting Options
- Resolutions to 10,000 CPR
- RoHS Compliant




Model 775

- 100° C Operating Temperature Option
- Thru-Bore Design for Mounting Ease
- Incorporates Opto-ASIC Technology
- Resolutions to 4096 CPR
- Bore Options to 1.375"
- CE Marking Available




Model 776

- Incorporates Opto-ASIC Technology
- Slim Profile - 1.36" In Depth
- Bore Options to 1.875"
- Resolutions to 4096 CPR
- CE Marking Available
- Thru-Bore Design



Model MA36S/H


- Durable Magnetic Technology
- Standard Size 36 mm Package
- SSI and CANopen Communications
- Flex Mount Eliminates Couplings - Ideal for Motors or Shafts
- Multiturn Absolute Encoder (12 Bit/40 Bit)
- Proven New Turns Counting Technology - No Gears or Batteries



Azimuth (Yaw) Control

Model MA63S

- Bearing Load of 80 lbs.
- Durable Magnetic Technology
- SSI and CANopen Communications
- Standard Size 63 mm (2.5") Package
- Multiturn Absolute Encoder (12 Bit/40 Bit)
- Proven New Turns Counting Technology - No Gears or Batteries



Superior Design



- First To Use Opto-ASIC Technology
- Creators Of The First Cube Encoder
- Creators Of The Original Tru-Trac™

Customer Service



A Helpful Customer Service Representative Is Available From 5:00 am To 4:30 pm Pacific Time

Exceptional Value



We've Done Our Homework There Is No Better Encoder On The Market For The Price!

Quick Delivery



- Standard Delivery In 3 To 7 Business Days
- Expedite Delivery Available

3 Year Warranty



The Best In The Industry!

World Headquarters Americas Division

Encoder Products Company
464276 Highway 95
PO Box 249
Sagle, Idaho 83860
USA

ISO 9001:2008 Certified
RoHS/REACH/WEEE Compliance

Phone: 800-366-5412, 208-263-8541

Fax: 208-263-0541

E-mail: sales@encoder.com

Website: www.encoder.com

Europe Division

British Encoder Products Company
Whitegate Industrial Estate, Unit 33
Wrexham, Clwyd
Wales LL13 8UG
United Kingdom

ISO 9001:2008 Certified

Phone: +44.1978.262100

Fax: +44.1978.262100

E-mail: sales@encoder.co.uk

Website: www.encoder.co.uk

Asia Division

Zhuhai Precision Encoder Co., LTD
Rm. 308C, 3 / F,
Zhongdian Building
No. 1082, JiuZhou Ave.
Ji Da District, Zhuhai City
Guangdong Province, PRC
519015

Phone: +86.756.3363470

Fax: +86.756.3363573

E-mail: EPC-Asia@163.com

Website: www.asiaencoder.com



Wind Power Solutions

